

I. PRODUCT AND COMPANY IDENTIFICATION

Product Name: PRIME GUARD 80W90 GL5 55GL

Product Code: PF050955 PG80W9055

Emergency Phone: CHEMTREC: +1 (800) 424-9300

International: +01 (703) 527-3887

Poison Control

(800) 222-1222

Center:

Company: Prime Guard

8295 Tournament Dr. Ste 150

Memphis, TN 38125

Information Phone: (662) 874-1283 **E-mail:** sds@wd-wpp.com

II. HAZARDS IDENTIFICATION

Routes of Entry: Skin contact

Target Organs: Skin

Chemical Interactions: No chemical interaction known to affect toxicity.

Conditions Aggravated Personnel with pre-existing skin disorders should avoid contact with this product.

by Exposure:

Acute Health Effects:

Inhalation Irritation: Breathing oil mist in concentrations that exceed the TLV and PEL may result in

respiratory discomfort and irritation.

Skin Contact:
Can cause minor skin irritation, defatting, and dermatitis. May cause skin irritation.
Skin Absorption:
Minimal hazard in normal industrial use. May cause gastrointestinal discomfort.

Eye Contact:
Lubricating oils are generally considered no more than minimally irritating to the eyes.
No hazard in normal industrial use. Aspiration of material into the lungs can cause

chemical pneumonitis which can be fatal.

Chronic Health Effects:

Carcinogenicity: Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and

is not considered a carcinogen by the International Agency for Research on Cancer. No data available to indicate product or any components present at greater than 0.1%

ReproductiveNo data available to indi **Toxicity:**may cause birth defects.

Mutagenicity: No data available to indicate product or any components present at greater than 0.1% is

mutagenic or genotoxic.

HMIS Ratings:NFPA Ratings:Health:1Health:1Fire:1Fire:1Reactivity:0Reactivity:0

PPE: B

KEY: 0 - Least 1 - Slight 2 - Moderate 3 - High 4 - Extreme

III. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	%	CAS#	OSHA Exposure Limits
Residual oils, petroleum, solvent-refined	30 - 60	64742-01-4	

Petroleum distillates, hydrotreated heavy paraffinic 30 - 60 64742-54-7 5 mg/m3

Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

IV. FIRST-AID MEASURES

Inhalation: Remove to fresh air. If breathing is difficult, have a trained individual administer

oxygen. If not breathing, give artificial respiration and have a trained individual

administer oxygen and get medical attention immediately.

Eyes: Flush with water. If irritation occurs, get medical attention. Rest eyes for 30 minutes.

If redness, burning, blurred vision, or swelling occurs, transport to nearest medical

facility for additional treatment.

Skin Contact: Remove contaminated clothing and shoes and wipe excess from skin. Flush skin with

> water then wash with soap and water. If irritation occurs, get medical attention. Do not reuse clothing until cleaned. If redness, swelling, pain, and/or blisters occur, transport to the nearest medical facility for additional treatment. Seek medical advice if symptoms

Ingestion: No hazard in normal industrial use. Do not induce vomiting. Seek medical attention if

> symptoms develop. Provide medical care provider with this SDS. Induce vomiting as a last measure. Induced vomiting may lead to aspiration of the material into the lungs

potentially causing chemical pneumonitis that may be fatal.

Notes to Doctor: Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation

of stomach contents is necessary, use method least likely to cause aspiration.

V. FIRE FIGHTING MEASURES

Flammability

Summary:

Combustible at elevated temperatures

Extinguishing Media:

Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into

the hot burning liquid.

Fire and/or Explosion

Hazards:

Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.

Fire Fighting Methods

and Protection:

Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.

Hazardous Carbon monoxide, Smoke

Combustion Products:

VI. ACCIDENTAL RELEASE MEASURES

Personal Precautions and Equipment:

Methods for Clean-up:

No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS. Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center. Remove from water surface by skimming or with suitable absorbents. Do not use dispersants. Avoid runoff into storm

sewers and ditches that lead to waterways. Do not flush to sewer.

VII. HANDLING AND STORAGE

Handling Precautions: Mildly irritating material. Avoid unnecessary exposure. **Storage Conditions:** Store in a cool dry place. Isolate from incompatible materials.

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

No exposure limits exist for the constituents of this product. Use local exhaust **Engineering Controls:**

ventilation or other engineering controls to minimize exposures and maintain operator

comfort.

Respiratory Respiratory protection may be required to avoid overexposure when handling this

Protection: product. General or local exhaust ventilation is the preferred means of protection. Use a

respirator if general room ventilation is not available or sufficient to eliminate

symptoms.

Respirator Type(s): None required where adequate ventilation is provided. If airborne concentrations are

above the applicable exposure limits, use NIOSH/MSHA approved respiratory

protection.

Eye Protection: Wear safety glasses when handling this product if there is a likelihood of contact with

Where use can result in skin contact, practice good personal hygiene and wear **Skin Protection:**

impervious gloves. Wash hands and other exposed areas with mild soap and water

before eating, drinking, and when leaving work.

Gloves: Neoprene, Nitrile

Control Parameters:

Chemical Name ACGIH TLV ACGIH **IDLH NIOSH** -TWA **STEL STEL**

Residual oils, petroleum, solvent-refined

Petroleum distillates, hydrotreated heavy paraffinic 5 mg/m310 mg/m3

X. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Color: Brown Odor: Mild

pH: Not determined

Viscosity (cSt at

40°C):

Solubility in Water: Negligible; 0-1% Octanol/Water Not determined

130.9

Partition Coefficient:

Evaporation Rate: Not determined **Vapor Density:** Not determined

Vapor Pressure: < 0.20

Boiling Point (°C): Not determined Freezing Point (°C): Not determined

Specific Gravity: 0.89**Density:** 7.4 Flash Point (°C): 218 **Flash Point Method:** COC

Not established **Upper Flammability**

Limit, % in air:

Lower Flammability Not established

Limit, % in air:

X. STABILITY AND REACTIVITY

Stability: Stable under normal conditions. Hazardous polymerization will not occur

Conditions to Avoid: Temperatures above the high flash point of this combustible material in combination

with sparks, open flames, or other sources of ignition. Moisture (will lead to product

performance degradation).

Materials to Avoid: Hazardous Decomp. Strong oxidizing agents Carbon monoxide, Smoke

Products:

Hazardous

Hazardous polymerization will not occur.

Polymerization:

XI. TOXICOLOGICAL INFORMATION

Acute Toxicity:

Although this product has a low order of acute oral toxicity, aspiration of minute **Ingestion:**

amounts into the lungs during ingestion or vomiting may cause mild to severe

pulmonary injury and possibly death.

Inhalation: Harmful! Can cause systemic damage (see "Target Organs").

Absorption: Minimal hazard in normal industrial use. May cause gastrointestinal discomfort.

Eyes: The material is likely to be moderately irritating to eyes based on animal data.

Skin: This material is likely to be moderately irritating to skin based on animal data.

Sensitization: No data available to indicate product or components may be a skin sensitizer.

Component Toxicology Data:

Chemical Name	CAS#	LD50/LC50
Residual oils (petroleum), solvent-refined	64742-01-4	Inhalation LC50 Rat 2.18 mg/L 4 h (Source:
		IUCLID); Oral LD50 Rat >5000 mg/kg
		(Source: IUCLID); Dermal LD50 Rabbit
		>2000 mg/kg (Source: IUCLID)
Distillates (petroleum), hydrotreated heavy	64742-54-7	Inhalation LC50 Rat 2.18 mg/L 4 h; Oral
paraffinic		LD50 Rat >2000 mg/kg; Dermal LD50 Rabbit
		>2000 mg/kg
Polysulfides, di-tert-butyl	68937-96-2	Oral LD50 Rat 6500 mg/kg (Source: IUCLID)

XII. ECOLOGICAL INFORMATION

Overview: Moderate ecological hazard. This product may be dangerous to plants and/or wildlife.

Mobility: This material is expected to have essentially no mobility in soil. It absorbs strongly to

most soil types.

Persistence: Biodegradation, adsorption to sediment, and bioconcentration to aquatic organisms

should not be significant.

CAS#

Bioconcentration: Bioconcentration may occur.

Degradability: Biodegrades slowly.

Toxicity to Aquatic Invertebrates:

Residual oils (petroleum), solvent- refined Petroleum distillates, hydrotreated heavy paraffinic	64742-01-4 64742-54-7	48 Hr EC50 Daphnia magna: >1000 mg/L 48 Hr EC50 Daphnia magna: >1000 mg/L
Toxicity to Fish: Residual oils (petroleum), solvent- refined	CAS # 64742-01-4	Results 96 Hr LC50 Oncorhynchus mykiss: >5000 mg/L
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	96 Hr LC50 Oncorhynchus mykiss: >5000 mg/L
Polysulfides, di-tert-butyl	68937-96-2	96 Hr LC50 Pimephales promelas: 250 - 500 mg/L [static]; 96 Hr LC50 Pimephales promelas: >1000 mg/L [semi-static]

Results

XIII. DISPOSAL CONSIDERATIONS

Disposal of Packaging: Recycle containers whenever possible.

Disposal Methods: Dispose of by incineration following Federal, State, Local, or Provincial regulations.

XIV. TRANSPORTATION INFORMATION

D.O.T. Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO).

XV. REGULATORY INFORMATION

TSCA Status: All components of this material are on the US TSCA Inventory or are exempt.

State Restrictions: Not applicable

WHMIS: Uncontrolled product according to WHMIS classification criteria.

Chemical Name	Regulation	CAS#	% Range
None.	CERCLA RQ		_
Vinyl acetate	SARA 313	108-05-4	0.001- 0.01
Cumene	SARA 313	98-82-8	0.001- 0.01
ethylbenzene	SARA 313	100-41-4	0.001- 0.01
Naphthalene	SARA 313	91-20-3	<10ppm
Methyl isobutyl ketone	SARA 313	108-10-1	<10ppm
Ethyl acrylate	SARA 313	140-88-5	<10ppm
None.	SARA 302-EHS		
None.	TSCA 12b export		
	notification		
Cumene	CA Prop 65 – Cancer	98-82-8	0.001- 0.01
ethylbenzene	CA Prop 65 – Cancer	100-41-4	0.001- 0.01
Naphthalene	CA Prop 65 – Cancer	91-20-3	<10ppm
ISOBUTYL METHYL	CA Prop 65 – Cancer	108-10-1	<10ppm
KETONE			
Ethyl acrylate	CA Prop 65 – Cancer	140-88-5	<10ppm
None.	CA Prop 65 - Dev. Toxicity		
None.	CA Prop 65 - Reprod –fem		
None.	CA Prop 65 - Reprod -male		
None.	Canadian WHMIS List		
None.	Massachusetts RTK List		
None.	New Jersey RTK List		
None.	Pennsylvania RTK List		
None.	Minnesota Hazardous		
	Substance List		

Consumer Product Safety Improvement Act of 2008 General Conformity Certification:

This product has been evaluated and certified to be labeled and packaged in compliance with the applicable provisions of the Federal Hazardous Substance Act as stated in 16 CFR 1500 and enforced by the Consumer Product Safety Commission, and where applicable the products that require Child Resistant Closures are packaged in accordance with the Poison Prevention Packaging Act as stated in 16 CFR 1700 and enforced by the Consumer Product Safety Commission. All closures have been tested in accordance with the latest protocols. No other testing is required to certify compliance with the above. The date of manufacture is stamped on the product container.

XVI. ADDITIONAL INFORMATION

Supersedes: 8/27/2014 5:06:45 PM **Revision Date:** 9/4/2014 12:27:32 PM

Disclaimer: This safety data sheet and the information it contains is offered to you in good faith as accurate.

We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.